Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 35 :: :: NUMBER 10

MARCH 5 - - 1920

SPECIAL ARTICLES

Influenza—Prevalence in the United States
Devices to Protect Sand Blasters Against Dust Hazard
Antimalarial Work in Dallas, Tex.
Division of Venereal Diseases, January, 1920

WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, typhus fever, smallpox, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2 PER YEAR

CONTENTS.

Page.

Influenza—Prevalence in the United States 511
Efficiency of certain devices used for the protection of sand blasters against the dust hazard 518
Antimalarial work in Dallas, Tex 534
Division of venereal diseases, January, 1920 536
Positions open in Department of Public Health, Philadelphia, Pa 537
Deaths during week ended February 31, 1920:
In certain large cities of the United States 538
Death claims reported by insurance companies 538

PREVALENCE OF DISEASE.

United States:
Current State summaries—
Telegraphic reports for week ended February 28, 1920 539
Kentucky report for week ended February 21, 1920 538
Summary of cases reported monthly by States 543
Anthrax—Delaware, Kansas, and Ohio 544
Cerebrospinal meningitis—
State reports for January, 1920 544
City reports for week ended February 14, 1920 544
Favus—Connecticut report for January, 1920 545
Influenza—
Mississippi report for January, 1920 545
City reports for weeks ended February 7, 14, 21, and 28, 1920 545
Leprosy—Houston, Tex., and Norwood, Ohio 551
Malaria—
Mississippi and South Carolina—January, 1920 551
Alexandria, La., and Dallas, Tex 551
Pellagra—
Mississippi and South Carolina—January, 1920 552
City reports for week ended February 14, 1920 552
Plague (rodent)—New Orleans, La 552
Pneumonia (all forms)—City reports for week ended February 14, 1920 553
Poliomyelitis (infantile paralysis)—
State reports for January, 1920 555
City reports for week ended February 14, 1920 555
Rabies in animals—Cincinnati, Ohio, week ended February 14, 1920 555
Rabies in man—Mississippi report for January, 1920 555
Smallpox—
Kansas report for January, 1920—Vaccination histories 556
State reports for January, 1920 558
City reports for week ended February 14, 1920 560
Vaccinations on Canadian border, 1920 561
Tetanus—Rutland, Vt., and Savannah, Ga 561

Page.

Typhoid fever—
State reports for January, 1920 561
City reports for week ended February 14, 1920 563
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended February 14, 1920 563
Foreign and Insular:
Canada—Influenza—Province of Ontario 569
Greece—Typhus fever—Athens 569
Hawaii—Rodent plague—Ookala 569
Union of South Africa—Certain diseases declared notifiable 569
Influenza—Reports received during week ended March 5, 1920 569
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended March 5, 1920—
Cholera 570
Plague 571
Smallpox 571
Typhus fever 572
Reports received from December 27, 1919, to February 27, 1920—
Cholera 572
Plague 573
Smallpox 574
Typhus fever 577
Yellow fever 578